



QuanTB

User's Guide



USAID
FROM THE AMERICAN PEOPLE

SIAPS 
Systems for Improved Access
to Pharmaceuticals and Services



QuanTB User's Guide

Version 2.0



USAID
FROM THE AMERICAN PEOPLE

SIAPS 
Systems for Improved Access
to Pharmaceuticals and Services

This report is made possible by the generous support of the American people through the US Agency for International Development (USAID), under the terms of cooperative agreement number AID-OAA-A-11-00021. The contents are the responsibility of Management Sciences for Health and do not necessarily reflect the views of USAID or the United States Government.

About SIAPS

The goal of the Systems for Improved Access to Pharmaceuticals and Services (SIAPS) Program is to assure the availability of quality pharmaceutical products and effective pharmaceutical services to achieve desired health outcomes. Toward this end, the SIAPS result areas include improving governance, building capacity for pharmaceutical management and services, addressing information needed for decision-making in the pharmaceutical sector, strengthening financing strategies and mechanisms to improve access to medicines, and increasing quality pharmaceutical services.

Recommended Citation

This report may be reproduced if credit is given to SIAPS. Please use the following citation.

SIAPS Program. 2013. *QuanTB User's Guide*. Submitted to the US Agency for International Development by the Systems for Improved Access to Pharmaceuticals and Services (SIAPS) Program. Arlington, VA: Management Sciences for Health.

Systems for Improved Access to Pharmaceuticals and Services
Center for Pharmaceutical Management
Management Sciences for Health
4301 North Fairfax Drive, Suite 400
Arlington, VA 22203 USA
Telephone: 703.524.6575
Fax: 703.524.7898
E-mail: siaps@msh.org
Website: www.siapsprogram.org

CONTENTS

Introduction	1
The Challenge.....	1
A Solution.....	1
Installing QuanTB	3
Installation on a PC	3
Installation on a Macintosh	9
Upgrading or Reinstalling QuanTB.....	16
Use the same location as the old version and overwrite existing program files.....	16
Use the same location as the old version and do not overwrite existing program files	16
Use a different location for the installation.....	17
Version Compatibility.....	17
Customizing QuanTB.....	18
Modifying the medicines list.....	19
Modifying the treatment regimens list.....	20
Changing languages	29
Starting a New Forecasting	31
Forecasting parameters	31
Case information.....	34
Stock information.....	39
Forecasting Results	45
Summary tab.....	45
Medicines report tab	46
Case reports tab.....	47
Medicines detailed report tab	48
Order tab.....	49
Dashboard tab.....	51
Saving forecastings.....	52
Opening saved forecastings	54
Exiting the system	54
Exporting Forecastings to Excel and Printing.....	57

Export to Excel	57
Using QuanTB as an Early Warning System	59
Regular monitoring	59
Viewing QuanTB files created by others	62
Annex 1: Forecasting for Multiple Years	63
Annex 2: Forecasting for Ancillary Medicines	65
Annex 3: Forecasting for Patient Kits	69
Annex 4: Reporting an Error	71

INTRODUCTION

The Challenge

Ensuring that patients have continuous access to tuberculosis (TB) treatment requires complex projections and calculations by TB program staff. These projections are becoming more challenging as new diagnostic tools rapidly increase the number of individuals diagnosed, and thus the quantities of medicines needed. As treatment regimens change, national programs must plan carefully for phasing in and out various medicines in order to manage the risk of stock outs. Frequent forecasting and quantification, along with management of stock on hand, are vital to ensuring that appropriate types and quantities of medicines are available to meet the changing needs of programs and that TB programs are alerted of potential problems with TB medicines in a timely manner.

A Solution

To promote a systems-strengthening approach to TB medicines management, the USAID-funded Systems for Improved Access to Pharmaceuticals and Services (SIAPS) Program developed QuanTB—a downloadable, desktop tool that transforms complicated calculations into a user-friendly dashboard displaying key quantification and supply planning information. By alerting users to risks of stock outs, QuanTB operates as an early warning mechanism.

QuanTB allows you to forecast needs of tuberculosis medicines and treatment regimens for any period of time. Forecasting can be done by:

- The number of enrolled and expected cases per month or by percentage of use of each medicine
- Either multi-drug or single-drug regimens

For cases currently on treatment, QuanTB takes into account the month when treatment was started and the duration of regimen. The system also takes into account the medicines currently in stock (stock on hand), and the medicines on order (stock on order) during the reference and the forecasting periods. This tool also allows you to project your future procurement and budget needs.

You may download the QuanTB software from <http://siapsprogram.org/quantb/>.

We would appreciate your testing of this tool under different scenarios and providing feedback, comments, and suggestions. Please send your comments to quantb@msh.org. You may also visit the QuanTB forum at <http://mshforums.org/forums/forum/quantb/> for support.

INSTALLING QuanTB

Installation on a PC

1. Visit the QuanTB website at www.siapsprogram.org/quantb to request a copy of QuanTB. You will receive an e-mail with a link to download the software. Use the link in the e-mail to download and **save** the QuanTB software to your computer.
2. Double-click on the QuanTB.zip file to unzip it. You will get a folder called QuanTB Download.
3. In the QuanTB Download folder, double-click on the **QuantBforPC.exe** file to run it. The **Language Selection** screen will appear:



Figure 1

4. In this example, English was selected. Click **OK** to continue. The following screen appears:



Figure 2

5. Click **Next** to continue then read the license agreement that appears. You must accept the terms of the agreement to continue the installation, as shown in the screen below.




Figure 3

6. Enter an installation path for the software, as shown on the screen below and then click **Next**. We recommend accepting the default path that the program suggests.




Figure 4

7. The program will confirm the installation directory it will create. Click **OK** to continue.




Figure 5

8. Select the packs you want to install. We recommend installing all of them. The greyed options are required, so you cannot unselect them. QuantB comes with pre-populated lists of medicines and regimens standardized by WHO (in the dictionary folder) and some “fictitious” forecasting for training/exercise purposes (in the documents folder). If you have already installed QuantB on your computer with customized lists of medicines and regimens or saved forecastings, your information will be overwritten if a new version is installed and the boxes are checked during the installation.

If you are reinstalling the software after customizing the medicines, regimens, or forecasting, please read the Upgrading or Reinstalling QuantB section of this manual to

learn how to protect your existing medicines and regimens lists. If this is the first time you are installing QuanTB, we recommend keeping all of the boxes checked. Click **Next** to continue.




Figure 6

9. If you already have QuanTB installed in the same location and the dictionary and document boxes are checked, the system will warn you that you will overwrite files. An example for one of the files is shown below. Select No if you want to keep previously modified drug lists and/or treatment regimens. See the section on Upgrading or Reinstalling QuanTB for more information.




Figure 7

10. The software will display its installation progress, as shown on the screen below. Click **Next** to continue.




Figure 8

11. Choose which shortcuts you want the program to create for you, then click **Next**:




Figure 9

12. A screen confirming a successful installation will appear next.




Figure 10

Depending on your version of Windows, you may get a Program Compatibility Assistant message after the installation (shown below). You should click the “This program installed correctly” option.




Figure 11

Note: As with any software, you should back up your data on a regular basis. If you used the default installation options, the medicines and regimens lists are stored in C:\Users*yourname*\QuanTB\data. Your forecasting files are stored in C:\Users*yourname* \QuanTB\docs.

Installation on a Macintosh

1. Visit the QuanTB website at www.siapsprogram.org/quantb to request a copy of QuanTB. You will receive an e-mail with a link to download the software. Use the link in the e-mail to download and **save** the QuanTB software to your computer.
2. To install QuanTB on a Macintosh, you must have the latest version of Java and the JDK (Java Development Kit) installed on your Mac. Go to www.java.com to download updates if necessary. Your computer will prompt you to install the software if it is necessary.
3. Double-click on the QuanTB.zip file to unzip it. You will get a folder called QuanTB Download.
4. In the QuanTB Download folder, double-click on the **QuantBforMacintosh.jar** file to run it.
5. If you downloaded the installation file from the Web, you may need to bypass the Mac Gatekeeper software to run the install. Do this by holding down the **Control** key and clicking the **QuantBforMacintosh.jar** file. Then click **Open** on the menu that appears and **Open** on the popup window to begin the installation.
6. The **Language Selection** screen will appear:



Figure 12

7. Select your desired language and click **OK** to continue. The following screen appears:



Figure 13

8. Click **Next** to continue then read the license agreement that appears. You must accept the terms of the agreement to continue the installation, as shown in the screen below.




Figure 14

9. Enter an installation path for the software, as shown on the screen below and then click **Next**. We recommend accepting the Applications default path that the program suggests.




Figure 15

10. The program will confirm the installation directory it will create. Click **OK** to continue.



Figure 16

11. Select the packs you want to install. We recommend installing all of them. The greyed options are required, so you cannot unselect them. QuantTB comes with pre-populated lists of medicines and regimens standardized by WHO (in the dictionary folder) and some “fictitious” forecasting for training/exercise purposes (in the documents folder. If you are reinstalling the software after customizing the medicines, regimens, or forecasting, please read the Upgrading or Reinstalling QuantTB section of this manual to learn how to protect your existing medicines and regimens lists.

If you are reinstalling the software after customizing the medicines, regimens, or forecasting, we recommend that you uncheck the documents and dictionary boxes to preserve your existing files. If this is the first time you are installing QuanTB, we recommend keeping the boxes checked. Click **Next** to continue.




Figure 17

If you already have QuanTB installed in the same location, the system will warn you that you will overwrite files. Select No if you want to keep previously modified drug lists and/or treatment regimens.



Figure 18

12. The software will display its installation progress, as shown on the screen below. Click **Next** to continue.




Figure 19

13. A screen confirming a successful installation will appear next. Click **Done** to complete the installation process.



Figure 20

14. To run the program, go to Applications and double click on the **QuantB** folder.




Figure 21

15. When the folder opens, double click on the **QuantB.command** file to launch QuantB.




Figure 22

16. When you start the program, the **New Forecasting** dialogue box appears, as shown below. Click **Cancel** to close it so that you can customize QuanTB (see next chapter) before beginning a forecasting.




Figure 23

Note: As with any software, you should back up your data on a regular basis. If you used the default installation options, the medicines and regimens lists are stored in C:\Users*yourname*\QuanTB\data. Your forecasting files are stored in C:\Users*yourname* \QuanTB\docs.

Upgrading or Reinstalling QuanTB

If you are upgrading or reinstalling QuanTB after modifying the medicines and/or regimens lists, you need to take steps to ensure that you do not overwrite your data and lose your work. As a precaution before reinstallation, go to the location where your QuanTB files are saved and copy the DATA folder and save it in a different location. If you make a mistake during the reinstallation and overwrite your medicines or regimens lists, you can replace the new DATA files with your old files to restore your customized lists.

When upgrading or reinstalling QuanTB, you have three options during the installation:

- Use the same location as the old version and overwrite existing program files.
- Use the same location as the old version and do not overwrite existing program files.
- Use a different location for the installation and do not affect your original installation at all.

The program files of QuanTB are defined as the medicines and regimens lists, the forecasting examples (i.e., the “Fictitia” files), and the software itself.

Use the same location as the old version and overwrite existing program files

If you use all of the default options in the installation program, QuanTB will alert you that files already exist and will ask if it should overwrite the old versions. If you accept, your previous QuanTB medicines lists and treatment regimens files will be replaced with new versions. If you have modified the medicines list or treatment regimens in the old version, your work will be lost once the files are replaced with the new versions.

Note: If you have created and saved forecasting files with your own names, these are not overwritten, even if you reinstall in the same location as the old version and allow QuanTB to overwrite all existing files. QuanTB only overwrites the files that are distributed as part of the standard installation, i.e., the forecasting examples, the medicines and regimens lists, and, of course, the software itself.

Use the same location as the old version and do not overwrite existing program files

When you are running the installation program, uncheck the dictionaries box (Figure 6) to preserve your information. Your medicines list and regimens list will not be changed by reinstalling the software.

If you leave the documents box checked, QuanTB will ask you whether you want to overwrite the forecasting examples (i.e., the “Fictitia” files) that were included in your original version of the software. If you have not modified these examples, it is fine to overwrite them. Any forecasting files that you have created with your own names are not affected by the reinstallation.

Note: When upgrading from QuanTB version 1.0, you must update your existing medicines and regimens lists if you do not overwrite them with the files provided with the new software.

- For the medicines list, go to each medicine and select the dosage form from the new dropdown list.
- For the regimens list, go to each regimen and click on the Composition link to auto-generate the composition.

Use a different location for the installation

If you change the default installation path (shown in Figure 4) to a different location than you used previously, you are creating a new copy of QuanTB on your computer. You can have multiple copies of QuanTB on your computer in different locations, for example if you want to do forecastings for different countries. In this case, you must leave the document and dictionary boxes checked because the program requires the folders and files to run.

Note: QuanTB must find a data folder with files named `med_dictionary.xml` and `reg_dictionary.xml` in it (e.g., `C:\Users\yourname\QuanTB\data`) to run with full functionality. If that folder or files are missing, you can open and run forecastings and change the numbers of cases in them, but you can't access the regimens or medicines through the File menu. You can delete medicines and regimens from forecastings, but you can't add or edit them.

Version Compatibility

If you create a treatment regimen with three or more phases in QuanTB version 2.0.0 (or later), then try to open that regimen dictionary file (or a forecasting using it) in a previous version of QuanTB, it will NOT work properly because information will be lost. This is because earlier versions of the software only recognize treatment regimens with two phases or fewer. For this reason, we recommend that all current users upgrade to version 2.0.0 (or later), which recognizes all treatment regimens and forecastings, regardless of which version was used to create them.

CUSTOMIZING QuanTB

Before you start using QuanTB, you may need to customize the tool for specific country settings, e.g., adding new medicines or regimens to the system. Double-click the QuanTB icon or filename on your computer to start the software.

On opening the system, the **New Forecasting** dialog box appears. Click on the “Cancel” or the “X” buttons to close it and begin your system customization.

The 'New forecasting' dialog box contains the following fields and options:

- Name of Country/Region/Facility:
- Name of the person performing the forecasting:
- Reference date:
- Lead time: (months)
- Forecasting period: Until ()
- Months of buffer stock: (months)
- Minimum months of stock: (months)
- Maximum months of stock: (months)
- Regimen type:
- Enrolled Cases:
- Expected Cases:

Select regimens

	Treatment Regimen	Composition
<input type="checkbox"/>	2(RHZE)/4(RH) - (weight 40-54kg)	
<input type="checkbox"/>	2(RH)ZE/4(RH) - (weight 40-54kg)	
<input type="checkbox"/>	MDR-TB Regimen 1 (weight 51-70kg)	8ZCmLfxPtoCs/14ZLfxPtoCs
<input type="checkbox"/>	MDR-TB Regimen 2 (weight 51-70kg)	8ZKmLfxEtoPAS/14ZLfxEtoPAS

Figure 24

Modifying the medicines list

1. Go to **File** menu and select the **Medicines** menu option.



Figure 25

2. The tool already contains all TB medicines from the WHO List of Pre-Qualified Medicines (as of April 2013), along with their WHO-approved abbreviations, strengths, and forms. To add medicines on this list, click on the **New** button. In the **New medicine** dialog box that appears, enter the international nonproprietary name (INN), abbreviated name, strength, and select the dosage form and type from the dropdowns. If you select “Other” you can enter information in the field below the dosage form. The type is “first line,” “second line parenteral,” etc. and is selected from the dropdown window. Click on the **Save** button to confirm your new medicine or click on **Cancel** to undo it.




Figure 26

If you try to create a new medicine with (or edit an existing medicine to have) the exact same name, abbreviated name, strength, and dosage form of an existing medicine, QuanTB will not permit it. Any difference in any of these fields, including capitalization, dots, or spaces will be understood by QuanTB as a different medicine and you will be permitted to save the item. Be careful not to create duplicates.

Note: It is not possible to change the **Type** of a medicine after it has been saved. If you need to edit the **Type**, you must delete the medicine and re-enter it with the correct information.

- To change or delete medicines on the list, click on the medicine you want to modify and the **Edit** and **Delete** buttons will be enabled. Click on the buttons and follow instructions in the respective dialog boxes that appear.

Modifying the treatment regimens list

- Go to **File** menu and select the **Treatment Regimens** menu option.



Figure 27

- The tool already contains treatment regimens **for training purposes only**. To create a regimen, select Multidrug or Single Drug in the dropdown window, and then click on the **New** button.

NOTE: When creating or selecting regimens, please remember that in QuanTB, quantification can be done either by regimens, or by percent of use of each medicine. Thus, two types of regimens can be created depending on how you want to quantify: multi-drug regimens for quantification by regimens, or single-drug regimens for quantification by percent of use of each medicine. The steps below describe multidrug regimens first, then single-drug regimens. The term “single-drug regimen” is used for convenience, to distinguish it from multidrug regimens.




Figure 28

NOTE: If you want to number your treatment regimens, you should use a leading 0 with the numbers 1 through 9 (e.g., 01, 02, 03), so that they will appear in the correct order. If you don't use a leading 0 and you have more than nine regimens, the numbers 10 and higher will appear in the wrong order.

3. In the **New Treatment Regimen** dialog box that appears, enter information in the Name field. The Composition field will be automatically completed by the software, based on the medicines you enter. You may modify it after the regimen is created, if you wish. You may add up to 10 phases for each remind and have a duration of weeks or months for each phase.

In the Phase 1 window that appears when you create a new treatment regimen, click on the **Add Medicine** button. In the list of medicines that appears, select the medicines you want to add to the regimen by clicking the checkbox(es), and click on the **Save** button to confirm or **Cancel** to undo it. Use the dropdown window to set the **Duration** by choosing a number and weeks or months.

For each medicine in the phase, click in the appropriate column to enter the **Units per Day** and **Days per Week**.

If you have more than one phase for this regimen, click the **Add phase** button. Repeat the process described above by clicking on the **Add Medicine** button in the Phase 2 window. Another option is to copy the previous phase by clicking on a phase, then clicking the **Copy previous** button. When hitting this button, the system copies information from the immediate previous phase of the one that is selected and replaces all existing information in the selected phase. For example, if there are 3 phases and the second is selected (i.e., opened), the system will copy data from the first phase. This resource can be useful when the same medicines have been used in more than one phase.

NOTE: Because there is an average of 4.3 weeks per month, the quantities required for a regimen defined in weeks will differ from a regimen defined in months. The difference increases with the length of the regimen and can be surprising, if you are assuming that 4 weeks equals one month. Four weeks does not equal one month, because four weeks is 28 days and one month is 30 or 31 days.




Figure 29

- After adding medicines in the relevant number of phases and entering information on the **Units per Day**, **Duration (weeks or months)**, and **Days per Week** fields, click on the **Save** button to confirm or **Cancel** to undo it. Only whole numbers can be entered for these fields. The software will fill out the **Composition** field for you, based on the information you enter, but you may modify it if you wish.

The first number in the Composition field displays the number of months of the first phase of the regimen. Any time there is a change in the number of months for a medicine (e.g., when changing to the continuation phase), the software will insert a “/” to divide the description. The first number after the “/” displays the number of months for the next phase. The abbreviated names of the medicines (with their strength in parentheses) follow the numbers of months. When a medicine has a duration of weeks, the weeks are converted to months in the Composition field.

NOTE: In keeping with international standards, we require that all medicines in a phase have the same duration.

New treatment regimen

Name: MDR-RB Regimen 1 (weight 51-70 kg) Multidrug

Composition: 8Cs(250)Lfx(500)Pto(250)/14Cs(250)Lfx(250)Pto(250)Z(400)

Buttons: Add phase, Copy previous, Delete phase

Phase 1 | Phase 2

Duration: 14 months Add medicine, Delete medicine

Medicine	Units per Day	Days per Week
Cycloserine 250mg Capsule(s)	3	6
Levofloxacin 250mg Film coated tablet(s)	3	6
Protonamide 250mg Film coated tablet(s)	3	6
Pyrazinamide 400mg Film uncoated tablet(s)	4	6

Buttons: Save, Cancel

Figure 30

- To modify recorded treatment regimens, select one regimen you want to change and click on the **Edit** button. In the Edit treatment regimen screen that appears (below), you can replace, delete or add medicines to an existing regimen.

Edit treatment regimen

Name: MDR-TB Regimen 1 (weight 51-70kg) Multidrug

Composition: 8Cm(1000)Cs(250)Lfx(250)Pto(250)Z(500)/14Cs(250)Lfx(250)Pto(250)Z(500)

Buttons: Add phase, Copy previous, Delete phase

Phase 1 | Phase 2

Duration: 8 months Add medicine, Delete medicine

Medicine	Units per Day	Days per Week
Capreomycin 1000mg Powder for injection	1	6
Cycloserine 250mg Capsule(s)	3	6
Levofloxacin 250mg Film coated tablet(s)	3	6
Protonamide 250mg Film coated tablet(s)	3	6
Pyrazinamide 500mg Film uncoated tablet(s)	4	6

Buttons: Save, Cancel

Figure 31

6. To add a new medicine, click on the **Add medicine** button. In the **Selected Medicines** dialog box that appears, choose the medicine(s) and click on the **Save** button to confirm or **Cancel** to undo it. If necessary, repeat the process for medicines you want to add in other phases.

The screenshot shows the 'Edit treatment regimen' dialog box. The 'Name' field contains 'MDR-TB Regimen 1 (weight 51-70kg)' and the 'Composition' field contains '8Cm(1000)Cs(250)Lfx(250)Pto(250)Z(500)14Cs(250)Lfx(250)Pto(250)Z(500)'. The 'Duration' is set to 8 months. The 'Selected Medicines' dialog box is open, showing a list of medicines with checkboxes for selection. The list includes:

	Abbreviated name	International Nonproprietary Name (INN)	Strength	Dosage form
<input type="checkbox"/>	Am(500)	Amikacin	500mg	Powder for injection
<input type="checkbox"/>	Am(500/2)	Amikacin	500mg/2ml	Solution for injection
<input type="checkbox"/>	Imi/Cls(500/500)	Imipenem + Cilastatin	500mg+500mg	Powder for injection
<input type="checkbox"/>	Km(1000)	Kanamycin	1000mg	Powder for injection
<input type="checkbox"/>	Km(1000/4)	Kanamycin	1000mg/4ml	Solution for injection
<input type="checkbox"/>	S(1000)	Streptomycin	1000mg	Powder for injection
<input type="checkbox"/>	Amx/Clv(250/125)	Amoxicillin + Clavulanic acid	250mg+125mg	Film coated tablet(s)
<input type="checkbox"/>	Amx/Clv(500/125)	Amoxicillin + Clavulanic acid	500mg+125mg	Film coated tablet(s)

Figure 32

7. To delete a medicine, click on it and then click on the **Delete Medicine** button. In the confirmation dialog box that appears, click on the **Yes** button to confirm or **No** to undo it. If necessary, repeat the process for other medicines you want to delete in all phases.




Figure 33

8. After all modifications are made, click on the **Save** button to confirm or on the **Cancel** button to undo them. Be careful not to create duplicate regimens. QuanTB follows the rules below:

- If you try to create a new treatment regimen with the exact same name, medicines, units per day, duration, and days per week of an existing regimen, QuanTB will not permit it.
- If you create a new treatment regimen with the same name but other different information (medicines, units per day, duration, and days per week), QuanTB displays a warning message, but will allow the creation if you click the yes button.
- If you create a new treatment regimen with a different name but the exact same other information (medicines, units per day, duration, and days per week), QuanTB displays a warning message, but will allow the creation if you click the yes button.
- If you edit a treatment regimen to have exactly the same name, medicines, units per day, duration, and days per week of another existing regimen, QuanTB displays a warning and will not save the information.
- If you edit a treatment regimen, keeping the name, but changing information for the medicines, units per day, duration, and days per week to match an existing regimen, QuanTB will display a warning message, but will allow the regimen creation if you click the yes button.

- If you edit a treatment regimen, changing the name, but keeping information for the medicines, units per day, duration, and days per week to match an existing regimen, QuanTB will display a warning message, but will allow the regimen creation if you click the yes button.
9. To delete recorded treatment regimens, select one regimen you want to remove and then click on the **Delete** button. In the confirmation dialog box that appears, click on the **Yes** button to confirm or **No** to undo it. If necessary, repeat the process for other regimens you want to delete.




Figure 34

10. When creating new multidrug or single-drug regimens, you may copy an existing regimen and edit it. The regimen you want to duplicate must be selected. The click the **Duplicate** button to copy it. The regimen will appear in the list of regimens with “- Copy” after the name. Click on it and modify it as described above.




Figure 35

11. If your forecasting is based on the percentage of use of each single TB medicine, you must create single-medicine regimens. At the **Treatment Regimen** screen, select **Single Drug** in the dropdown window, and then click **New**.




Figure 36

12. Enter the **Name** of the treatment regimen and then click on **Set Medicine**. Select a medicine by clicking on it on the **Select medicines** screen that appears. Click **Save** to confirm your choice or **Cancel** to discard it.




Figure 37

13. On the **New treatment regimen** screen, enter the **Duration (in weeks or months)**, **Units per Day** and **Days per Week** for that medicine. The system will not allow you to enter more than one medicine. Click on the **Save** button to confirm or on the **Cancel** button to undo it.




Figure 38

Note: The list of medicines is stored in the med_dictionary.xml file and the list of regimens is stored in the reg_dictionary.xml file, both located in the QuanTB data folder. You can only have one version of each of these files in this folder. If you need to have two different lists of medicines (or regimens), e.g., because you are working with two countries, you must install two copies of QuanTB on your computer in different folders.

Changing languages

After QuanTB is installed, you can switch from one system language to another by clicking the flag icons at the top of the screen. If you hover the mouse over the flag, you can see the name of the language that it represents. When changing the language of the tool, QuanTB checks all open forecastings before making the change. If any forecasting is not executed, the system will prompt you to save it. If any forecasting was executed with an error or warning message (e.g., for cases or percentage with zero or missing information on parameters tab) QuanTB will display these messages again before changing the language.



Figure 39

If you created your medicines and regimens in one language, when you change to another language, everything that is free text (i.e., not in a dropdown window) will remain in the language in which it was created. You will have to go to each field and re-enter the free text information in the new language. Please note that the medicines list and the sample regimens that come with QuanTB when installed are in English. You may translate these to another language if necessary.

STARTING A NEW FORECASTING

As you use QuanTB, please **save** your work on a regular basis.

QuanTB does not save data automatically.

It is important to understand that the calculations in QuanTB forecastings assume 100% adherence, that is, that all patients receive all doses of all medicines and no one is lost to follow-up. If you know the attrition rate for each regimen, you can change the number of enrolled and expected cases. These results will appear in the dashboard. If you simply adjust the quantity to order, that will not appear on the dashboard.

Forecasting parameters

Go to the **File** menu and select the menu option for **New** or click on the **New** icon in the left upper corner. Enter the variables/parameters in the fields and check/select the regimens you want to forecast in the list. All fields must be filled out. See the explanation below about the fields in the **New forecasting** dialog box.

The 'New forecasting' dialog box contains the following fields and options:

- Name of Country/Region/Facility:
- Name of the person performing the forecasting:
- Reference date: Mar 4, 2014
- Lead time: 0 (months)
- Forecasting period: Until ()
- Months of buffer stock: 0 (months)
- Minimum months of stock: 0 (months)
- Maximum months of stock: 0 (months)
- Regimen type: Multidrug
- Enrolled Cases: By number
- Expected Cases: By number
- Select regimens

	Treatment Regimen	Composition
<input type="checkbox"/>	2(RHZE)/4(RH) - (weight 40-54kg)	
<input type="checkbox"/>	2(RH)ZE/4(RH) - (weight 40-54kg)	
<input type="checkbox"/>	MDR-TB Regimen 1 (weight 51-70kg)	8ZCmLfxPtoCs/14ZLfxPtoCs
<input type="checkbox"/>	MDR-TB Regimen 2 (weight 51-70kg)	8ZKmLfxEtoPAS/14ZLfxEtoPAS

-

Figure 40

Name of Country/Region/Facility: Defines the context to which the quantification refers

Name of the person performing the forecasting: Defines the individual who is entering data and generating the results of the forecasting

Reference Date: The current day as set on your computer is automatically entered. You may move the Reference Date back to the past if needed (e.g. if your medicines stock information is dated), but you cannot move it forward. The reference date should be the inventory date of the stock information you are entering.

Lead Time: Enter the number of months normally necessary for your orders to arrive. The figure entered should include all of the time that starts with planning for quantification and ends when the medicines are available on the shelf. It is not simply the suppliers' lead time.

Forecasting Period: Defines the period for which the forecasting is made. This is a future period and the start date must be later than the reference date plus the lead time. When you enter a lead time, the Forecasting Period text becomes a link that you can click. If you click it, it will enter the **Reference Date** plus the **Lead Time** as the first date of the **Forecasting Period** for your convenience. You can change this date if necessary.

Months of Buffer Stock: Defines the buffer stock (in months) needed by your program based on the specifics of your supply chain, e.g. procurement frequency and efficiency, funding and delivery lead times, etc. The buffer stock is not intended to be used, so an order must be placed before you need to use the buffer stock. You enter months of buffer in this field, but later you will enter actual number of cases for this buffer period.

Note: You can set the number of months as 0, but if the forecasting period does not end on the last day of a month, the remainder of that month is considered as "buffer" and the month will appear highlighted in yellow on the Expected cases, Medicines Report, and Cases Report screens.

Minimum months of stock and Maximum months of stock: Enter the minimum and maximum number of months of stock that you want to keep on hand. These figures do NOT affect the stock calculations. They are used to set the range of months on the dashboard and to determine the estimated months of stock.

Regimen type: Select multidrug or single-drug in the dropdown window.

Enrolled cases: Use the dropdown window to select whether you want to enter the number of enrolled cases by number or by percentage.

Expected cases: Use the dropdown window to select whether you want to enter the number of expected cases by number or by percentage.

Select Regimens: All treatment regimens previously defined in the system are displayed here. Check the boxes for regimens you want to forecast. If you want to create a new regimen to

include in the list, click on the **New Treatment Regimen** button and the dialog box for entering data on new regimens will appear.

Note: At this point of the tool development, QuanTB doesn't allow performing quantification for multidrug regimens and single drugs in the same forecasting. Currently, you can either select full multi-drug regimens for forecasting by number of regimens and percentage of cases on each regimen (as many regimens as you need), or select single-drug regimens for forecasting by percentage of each medicine use against total number of cases (as many drugs as you need). In the **New forecasting** dialog box you may check only multidrug regimens or single-drug regimens in the **Select Regimens** boxes and create two separate forecasts to accommodate these needs. You cannot simultaneously use both methods.

For the greatest precision, use multidrug regimens and numbers of cases. The next most precise option is to use multidrug regimens and percentages. Using single-drug regimens will produce less precise forecastings.

After filling in the fields, click on the **Save** button to confirm your choices. The system creates a **New forecasting** tab with the **Parameters** tab inside. Clicking on the **Cancel** button will close the dialog box and all entered information will be lost.

If you expect to have attrition in your program, you can use the **Adjust medicines quantity for attrition** button to reduce the quantity initially calculated for each medicine related to enrolled and expected cases. This adjustment is reflected in the quantity needed (summary, medicine, and medicine detailed reports), and also appears in the dashboard.

Medicine	Adjust for enrolled cases (%)	Adjust for expected cases (%)
Capreomicin 1000 mg Powder/Vial	90	95
Cycloserine 250 mg Tablet or Capsule	90	95
Ethionamide 250 mg Tablet	90	95
Kanamycin 1000 mg Powder/Vial	90	95
Levofloxacin 250mg Tablet	90	95
P-aminosalicylate sodium salt 4000m...	90	95
Prothionamide 250mg Tablet	90	95
Pyrazinamide 500 mg Tablet	90	95

Figure 41

If you make changes in the Parameters, **save** them, and then click on **Execute Forecasting** button to make them effective and see updated results. **QuanTB does not save data automatically.**

Case information

Previously entered variables are displayed in the **New forecasting** tab and can be changed as needed. The **Enrolled Cases**, **Expected Cases** and **Stock of Medicines** tabs are also displayed to be completed as described below.

Enrolled Cases

Total Number of Enrolled Cases per Month:

If you selected to forecast by actual cases enrolled per each regimen, the system will display all of the months for the selected regimens depending on their duration, starting with the months in which cases were enrolled that could still be on treatment at the reference date. If, for example, the duration of a selected regimen to treat MDR-TB is 22 months and the reference date is April 1, 2013, the system will display months starting with July 2011, because some cases enrolled in that month could still be on treatment, and thus must be accounted for in the forecasting process.

The date used in calculations is one day after the forecast date, after counting back the number of months in the regimen. For example:

- Reference date for the forecasting: 15 October 2014
- Length of treatment regimen: 6 months
- The first date for the enrolled cases is 16 April 2014. This is six months before the reference date, plus one day.

For forecasting calculations (consumption), entered cases are considered as started on treatment in the first day of each month, unless the reference date is not the first of a month.

For each month, you should enter the number of cases **enrolled** in this month.

You may copy and paste data from another source (e.g., Excel spreadsheet, Word table, QuanTB forecasting, etc.) into the enrolled or expected cases. To copy and paste, please follow these rules:

- The sequence of the regimens in the source information must be same as for QuanTB data. The system cannot verify that the information you are entering matches, so please be careful that the sequence matches.
- The number of columns of the source information cannot be more than the number of months of the longest regimen in your QuanTB forecasting.
- The number of rows in the source information can be less than QuanTB, but cannot be more.
- If the source information has fewer rows than QuanTB, the data will be pasted from the top to the bottom (so the last rows in QuanTB will be blank).
- Only whole numbers from the source information can be pasted to QuanTB, or an error message is displayed. Zero is considered a whole number. Text is not permitted either, so be careful that you don't copy the names of your regimens from the source information.

- An empty cell in Excel is considered a “non-whole number” and will trigger an error message.
- You may copy selectively, e.g., only one cell (one month of specific regimen) of enrolled and/or expected cases by double-clicking the number, hitting Ctrl C and pasting it to another cell using Ctrl V.
- As in Excel, if you copy a number, you may paste that number into multiple months in QuanTB by highlighting the range of months, then hitting Ctrl V.

When regimens have different durations, the system considers the number of columns of the longest for the pasting process (also for validation and generation of the error message related to the number of columns displayed). If you leave the months not used for the shorter regimens blank, the system displays an error message. You must fill the months not used in the shorter regimens with some valid data (e.g., 0) to allow pasting, even if this information won't be used later.

In the example below, only the blue cells in Excel should be copied. No cells are blank, because 0 has been entered as the value for the cells with no enrolled cases in the MDR-TB 1 regimen.

MDR-TB 1	10	10	10	10	10	10	10	10	0	0	0	0
MDR-TB 2	5	5	5	5	5	5	5	5	5	5	5	5

Note: If monthly enrollment data are not available, you can use the number of cases enrolled per quarter, entering the data in the middle month of a quarter. Forecasting in this case will be less precise.




Figure 42

Percentage of Enrolled Cases per Treatment Regimen:

If you selected to forecast by percentage of use of each regimen, the system will display all selected regimens. Enter the percentage of enrolled cases that are using each regimen. For multi-medicine regimens the total percentage must be 100%. (For single medicines the calculations are different, so the cumulative percentage could be any number.) Also enter the **Total Number of Enrolled Cases per Month** for each month.

Note: Using the percentage method is not recommended for forecasting in a setting with a small number of enrolled cases. However, if you do so, the system will keep cases in the Case Report tab as decimals and round up only for the total medicines quantities needed by month.




Figure 43

Expected Cases

Estimated number of expected cases per month: The system will display all of the months for the selected regimens, starting with the reference date and ending with the end of the forecasting period plus the months of buffer (highlighted in yellow). Enter the numbers of cases you expect to enroll by month of the forecasting period and also enter number of cases for buffer months.

On the Expected Cases tab, the first month displayed can be the same as the last month of the enrolled cases, if the reference date is not the first of the month. The reference date divides the enrolled cases and expected cases, so if the reference date is 15 October 2014, the enrolled cases stop on 14 October 2014 and the expected cases start on 15 October 2014.

You may copy and paste data from another source (e.g., Excel spreadsheet, Word table, QuanTB forecasting, etc.) into the enrolled or expected cases. (This functionality is not available for stock of medicines.) To copy and paste, please follow these rules:

- The sequence of the regimens in the source information must be same as for QuanTB data. The system cannot verify that the information you are entering matches, so please be careful that the sequence matches.
- The number of columns of the source information cannot be more than the number of months of the longest regimen in your QuanTB forecasting.
- The number of rows in the source information can be less than QuanTB, but cannot be more.
- If the source information has fewer rows than QuanTB, the data will be pasted from the top to the bottom (so the last rows in QuanTB will be blank).
- Only whole numbers from the source information can be pasted to QuanTB, or an error message is displayed. Zero is considered a whole number. Text is not permitted either, so be careful that you don't copy the names of your regimens from the source information.
- An empty cell in Excel is considered a "non-whole number" and will trigger an error message.
- You may copy selectively, e.g., only one cell (one month of specific regimen) of enrolled and/or expected cases by double-clicking the number, hitting Ctrl C and pasting it to another cell using Ctrl V.
- As in Excel, if you copy a number, you may paste that number into multiple months in QuanTB by highlighting the range of months, then hitting Ctrl V.

When regimens have different durations, the system considers the number of columns of the longest for the pasting process (also for validation and generation of the error message related to the number of columns displayed). If you leave the months not used for the shorter regimens blank, the system displays an error message. You must fill the months not used in the shorter regimens with some valid data (e.g., 0) to allow pasting, even if this information won't be used later.

In the example below, only the blue cells in Excel should be copied. No cells are blank, because 0 has been entered as the value for the cells with no enrolled cases in the MDR-TB 1 regimen.

MDR-TB 1	10	10	10	10	10	10	10	10	0	0	0	0
MDR-TB 2	5	5	5	5	5	5	5	5	5	5	5	5

Note: For forecasting calculations (expected consumption), entered cases are considered as started on treatment in the first day of each month. The only exception is the month of the reference date (first month displayed), where cases are considered as started on treatment on the reference date.




Figure 44

Percent of Expected Cases per Treatment Regimen: Displays all selected regimens. Enter the percentage of expected cases that will be using each regimen. For multi-medicine regimens the total percentage must be 100%. (For single medicines calculations are different, so the cumulative percentage could be any number.)

Note: Using the percentage method is not recommended for forecasting in a setting with a small number of enrolled cases. However, if you do so, the system will keep cases in the Case Report tab as decimals and round up only for the total medicines quantities needed by month.

Estimated Number of Expected Cases per Month: Enter the total numbers of cases you expect to enroll by month of the forecasting period, for all regimens. Also enter the number of cases for buffer months.

The screenshot shows the QuanTB 2.0.0 software interface. The title bar reads "QuanTB - Tuberculosis Medicines Quantification Tool". The main window has a menu bar (File, Forecasting, Help) and a toolbar. The "Parameters" tab is active, showing fields for Reference date (Apr 8, 2014), Lead time (3 months), Forecasting period (Jul 8, 2014 to Jul 1, 2015), and Months of buffer stock (2, 2, 6). A "Name of Country/Region/Facility" field contains "JEF 2". Below these are buttons for "Execute forecasting", "Select treatment regimens", and "Adjust medicines quantity for attrition".

The "Stock of medicines" tab is selected, displaying a table of "Percentage of expected cases per treatment regimen" and a "Estimated number of expected cases per month" table. The "Estimated number of expected cases per month" table has a "Paste data" button and shows data from April 2014 to January 2015.

Treatment regimen	Percentage of expected cases
MDR-TB Regimen 1 (weight 51-70kg) 8Cm(1000/Cs(250)/Ln(250)/Pto(25...	80.0
MDR-TB Regimen 2 (weight 51-70kg) 8Km(1000/4/Eto(125)/Lft(250)/PAS...	20.0
Total	100.00 %

Month	Estimated number of expected cases
Apr-2014	150
May-2014	150
Jun-2014	160
Jul-2014	165
Aug-2014	170
Sep-2014	172
Oct-2014	165
Nov-2014	160
Dec-2014	160
Jan-2015	160
Feb-2015	165

Yellow fields are the months of buffer stock

Copyright © 2012 Management Sciences for Health, Inc. All rights reserved. Developed by MSH.

Figure 45

Stock information

Stock of Medicines

This tab displays all the medicines that compose the selected treatment regimens. Clicking on a medicine name causes the batch detail for that medicine to appear. The first-to-expire batches are listed first. For the stock on order, the earliest expected receiving date is listed first.

Click on the cell value of **Stock on Hand** for one medicine. Then, in the **Batches Details** box click on the **Add** button. In the dialog box that appears, enter the expiration date of the batch and the quantity of units available in stock (at the reference date). Click on the **Save** button to confirm or **Cancel** to undo it. If needed, repeat the process for all existing batches of the same product and for all other medicines available on stock.

Note: You may copy and paste numbers into the Stock on Hand Batches Details **Quantity** field from another source (e.g., Excel file, Word table, QuanTB forecasting, etc.) by copying a number using Ctrl C and pasting it with Ctrl V.




Figure 46

Click on the cell value of **Stock on Order** for one medicine. Then, in the **Batches Details** box click on the **Add** button. In the dialog box that appears, enter the expected receiving date, expiration date (if known, otherwise leave blank), and the quantity of units to be received. Click on the **Save** button to confirm or **Cancel** to undo it. If needed, repeat the process for all products expected to arrive.

Note: You may copy and paste numbers into the Stock on Order Batches Details **Quantity** field from another source (e.g., Excel file, Word table, QuanTB forecasting, etc.) by copying a number using Ctrl C and pasting it with Ctrl V.




Figure 47

Changing recorded information regarding stock on hand and stock on order:

To edit, double click on the specific information you want to change or click on the batch, then click the **Edit** button. In the dialog box that appears change required data and click on the **Save** button to confirm or **Cancel** to undo it.




Figure 48

To delete, click on the specific information and the **Delete** button will be enabled. Click on the **Delete** button and in the confirmation dialog box that appears click on the **Yes** button to confirm or **No** to undo it.

For your reference, the system uses the following date-related rules:

- The expiration date of stock on hand can be the same as or after the reference date, but cannot be earlier.
- The expected receiving date of the stock on order can be the same as or after the reference date, but cannot be earlier.

- The expiration date of the stock on order can be the same as or after the expected receiving date, but cannot be earlier.

Selecting other treatment regimens:

To select other treatment regimens to be included in the forecasting, click on the **Select Treatment Regimens** button and in the **Select Regimens** dialog box that appears check or uncheck the regimens displayed. Click on the **OK** button to confirm or **Cancel** to undo it. If you have changed the selection of regimens done initially (in the **New forecasting** dialog box), you will need to repeat processes described above for entering data on Enrolled Cases, Expected Cases, and Stock of Medicines (stock on hand and stock on order).

Note: If you execute the forecasting, then edit any regimen information (e.g., dosages, duration or medicines) that is included in this forecasting, you must remove and re-insert the regimen from the forecasting for the regimen changes to register in the forecasting. Do this at the parameters tab by unchecking the box at the "Select regimen" dialog box and clicking the OK button, then insert the regimen again by checking the box and clicking the OK button. When you do this, the cases related to that regimen will disappear and you will have to re-enter them before executing the forecasting. You can save time by copying and pasting the case information from one forecasting to another.




Figure 49




Figure 50

Once all parameters have been entered, **SAVE** them, then click on the **Execute Forecasting** button or click on the **Arrow** icon in the left upper corner or go to **Forecasting** menu and select the **Execute** menu option.



Figure 51

Note: If you re-execute the forecasting after some time has passed (e.g., because you have updated case information) but you have not updated your inventory information, stock may have

expired since you entered the inventory information. QuanTB will compare stock expiration dates to the reference date and will prevent you from re-executing the forecasting until you have adjusted expiration dates, expected receiving dates, and/or quantities, to ensure an accurate forecast.

If you need additional information on forecasting for multiple years, ancillary medicines, or patient kits, please see Annexes 1, 2, or 3, respectively.

FORECASTING RESULTS

After you execute the forecasting, the following **tabs** with forecasting results will appear:




Figure 52

Summary tab

The Summary tab includes a list of all of the medicines in your forecasting. For each product, it lists the following information:

Stock on Hand on The Reference Date: Quantity of units of medicines available on the reference date, according with the stock on hand entered in the Parameters tab.

Estimated Months of Stock on the Reference Date (Including Buffer): This is the number of months of stock on hand as of the reference date (including buffer stock) until the day before a stock-out. The estimated months of stock on hand equals the stock on hand divided by the monthly consumption. The consumption is based on regimens used and number of cases each month and assumes 100% adherence. The calculation considers the reference period, forecasting period, and months of buffer. The figure appears in **red** if it is below/at the minimum or above/at the maximum months of stock assigned by you in the parameters. This alerts you to an issue needing attention, e.g., a pending stock-out or stock at risk of expiry due to overstock. If stock on hand at the reference date is zero, the estimated months of stock will be zero because stock is not counted as available until it has actually arrived. If there is a stock-out, then an order is received, then there is another stock-out during the period being considered, only the first stock-out date is used.

Last Date to Order: Based on the parameters entered—lead time, stock on hand and on order, and consumption—the system displays the latest date when you must finalize the procurement process and place the order for each medicine/product to avoid the risk of stock-out and treatment interruptions. The specific rules in QuantB are:

- The system takes the day right before the estimated day of stock-out for each medicine, applies the months of lead time backwards and displays the result as the last date to order.
- If the stock-out date goes within the months of buffer, the system considers the last day of the forecasting period.
- If the stock-out date for a certain medicine is after the months of buffer, the system displays the last month and year of the forecasting period.
- If the last date to order is earlier than the reference date, the system changes its color to red.

Reference Period: Starts at the reference date and finishes the day before the initial date of the forecasting period. The system displays the **Stock on order**, **Quantity dispensed** to current cases and **Quantity likely to expire** during the period.

Forecasting Period + Months of buffer: The system displays the period assigned for the forecasting on the parameters tab. The months of buffer assigned on the parameters tab are taken in account for the calculations of the forecasting period, but are displayed on the other tabs only. The system displays the **Stock on hand after reference period** (estimated quantity of remaining stock after consumption and quantity likely to expire during the reference period), **Stock on order**, **Quantity likely to expire**, and **Estimated consumption** (enrolled cases and expected cases).

Quantity Needed: The system displays the quantities needed for a **Regular order**, **Accelerated order**, and the **Total order** for each item during the period.

Medicine	Stock on hand on the reference date	Estimated months of stock on the reference date (including buffer)	Last date to order	Reference period Apr 01, 2013...Dec 31, 2013 (275 days)			Forecasting period + months of buffer Jan 01, 2014...Sep 30, 2014 (273 days)					Quantity needed		
				Stock on order	Quantity dispensed	Quantity likely to expire	Stock on hand after reference period	Stock on order	Quantity likely to expire	Estimated consumption (enrolled cases)	Estimated consumption (expected cases)	Regular order	Accelerated order	Total order
Capreomicin 1000 mg Powder/Vial	30,000	8	Jun 10, 2013	-	30,000	-	-	-	-	-	76,400	76,400	4,010	80,410
Cycloserine 250 mg Tablet or Capsule	185,000	9	Jul 31, 2013	-	155,244	-	29,756	-	-	70,083	316,905	357,232	-	357,232
Ethionamide 250 mg Tablet	140,000	6	Apr 25, 2013	-	140,000	-	-	-	-	101,085	160,335	281,420	60,955	322,375
Kanamycin 1000 mg Powder/Vial	18,400	4	Feb 04, 2013	7,000	25,400	-	-	-	-	-	23,590	23,590	19,222	42,812
Levofloxacin 250mg Tablet	249,000	6	Apr 23, 2013	-	237,862	11,138	-	-	-	171,168	477,240	648,408	118,337	766,745
P-aminosalicylate sodium salt	170,000	10	Aug 26, 2013	-	122,070	-	26,030	-	-	67,200	106,800	129,250	-	129,250

Figure 53

Medicines report tab

The Medicine reports tab displays the following information for each medicine for each month of the reference period, forecasting period, and months of buffer (highlighted in yellow): **Stock on hand**, **Quantity needed**, **Quantity likely to expire**, **Stock on order**, **Estimated consumption (enrolled cases)**, **Estimated consumption (expected cases)**, **Estimated consumption (total cases)**. The **Quantity likely to expire** will appear in red.

Forecasting Results

Ficbita AZ																
Medicine	Apr-2013	May-2013	Jun-2013	Jul-2013	Aug-2013	Sep-2013	Oct-2013	Nov-2013	Dec-2013	Jan-2014	Feb-2014	Mar-2014	Apr-2014	May-2014	Jun-2014	Jul-2014
Capreomycin 1000 mg Powder/Vial																
Stock on hand	30,000	27,530	24,722	21,922	18,547	14,959	11,033	6,470	1,795	-	-	-	-	-	-	-
Quantity needed	-	-	-	-	-	-	-	-	4,010	6,345	6,240	7,410	8,060	8,710	9,230	10,125
Quantity likely to expire	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Stock on order	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Estimated consumption (enrolled cases)	2,470	2,268	1,800	1,620	1,248	936	648	300	-	-	-	-	-	-	-	-
Estimated consumption (expected cases)	-	540	1,000	1,755	2,340	2,990	3,915	4,375	5,805	6,345	6,240	7,410	8,060	8,710	9,230	10,125
Estimated consumption (total cases)	2,470	2,808	2,800	3,375	3,588	3,926	4,563	4,675	5,805	6,345	6,240	7,410	8,060	8,710	9,230	10,125
Cycloserine 250 mg Tablet or Capsule																
Stock on hand	185,000	175,406	163,823	151,598	136,370	119,756	101,192	79,484	57,134	29,756	-	-	-	-	-	-
Quantity needed	-	-	-	-	-	-	-	-	-	862	30,456	36,894	40,170	43,290	46,410	51,354
Quantity likely to expire	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Stock on order	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Estimated consumption	9,594	9,963	9,225	9,963	9,594	9,594	9,963	9,225	9,963	9,963	8,856	9,594	8,970	8,190	7,410	6,804

Figure 54

Case reports tab

The Case reports tab displays the number of **Enrolled Cases** and **Expected Cases** by treatment regimen and by medicine (on a separate tab) for each month of the reference period, forecasting period, and buffer months (highlighted in yellow). The number of cases displayed is the maximum number of cases of any day in the entire month.

Ficbita AZ																
Treatment regimen		Jul-2013	Aug-2013	Sep-2013	Oct-2013	Nov-2013	Dec-2013	Jan-2014	Feb-2014	Mar-2014	Apr-2014	May-2014	Jun-2014	Jul-2014	Aug-2014	
MDR-TB Regimen 1 (51-70kg)	Enrolled Cases	123	123	123	123	123	123	123	123	123	115	105	95	84	72	
	Expected Cases	65	90	115	145	175	215	255	300	350	400	450	500	550	600	
	Total	188	213	238	268	298	338	378	423	473	515	555	595	634	672	
MDR-TB Regimen 2 (51-70kg)	Enrolled Cases	182	180	178	175	172	169	166	163	159	154	148	141	133	123	
	Expected Cases	85	110	135	155	175	190	205	215	220	225	230	235	240	242	
	Total	267	290	313	330	347	359	371	378	379	379	378	376	373	365	
Grand total		455	503	551	598	645	697	749	801	852	894	933	971	1,007	1,037	

Figure 55

Parameters Summary Medicines report Case reports Medicines Detailed Report Order Dashboard															
Ficthia AZ															
Treatment regimen		Medicine													
Medicine		Apr-2013	May-2013	Jun-2013	Jul-2013	Aug-2013	Sep-2013	Oct-2013	Nov-2013	Dec-2013	Jan-2014	Feb-2014	Mar-2014	Apr-2014	May-2014
Capreomicin 1000 mg Powder/Vial	Enrolled Cases	95	84	72	60	48	36	24	12	-	-	-	-	-	-
	Expected Cases	-	20	40	65	90	115	145	175	215	235	260	285	310	-
	Total	95	104	112	125	138	151	169	187	215	235	260	285	310	-
Cycloserine 250 mg Tablet or Capsule	Enrolled Cases	123	123	123	123	123	123	123	123	123	123	123	123	115	-
	Expected Cases	-	20	40	65	90	115	145	175	215	255	300	350	400	-
	Total	123	143	163	188	213	238	268	298	338	378	423	473	515	-
Ethionamide 250 mg Tablet	Enrolled Cases	188	186	184	182	180	178	175	172	169	166	163	159	154	-
	Expected Cases	-	30	60	85	110	135	155	175	190	205	215	220	225	-
	Total	188	216	244	267	290	313	333	347	359	371	378	383	379	-

Figure 56

Note: The **Treatment regimen** tab on the **Case reports** tab is unavailable when the forecasting is only for single-drug regimens.

Medicines detailed report tab

The Medicines detailed report tab allows you to select a medicine from the dropdown and see detailed information on that product's stock during the reference period, forecasting period and buffer months (highlighted in yellow). The screen shows **Stock on hand**, **Estimated consumption (enrolled cases)**, **Estimated consumption (expected cases)**, **Estimated consumption (total)**, **Stock on order**, **Quantity likely to expire**, and **Quantity needed**. The **Quantity likely to expire** will appear in red.

Parameters Summary Medicines report Case reports Medicines Detailed Report Order Dashboard							
Medicine: Capreomicin 1000 mg Powder/Val							
Ficthia AZ							
Period	Stock on hand	Estimated consumption (enrolled cases)	Estimated consumption (expected cases)	Estimated consumption (total)	Stock on order	Quantity likely to expire	Quantity needed
Apr 01, 2013...Apr 30, 2013 (30 days)	30,000	2,470	-	2,470	-	-	-
May 01, 2013...May 31, 2013 (31 days)	27,530	2,268	540	2,808	-	-	-
Jun 01, 2013...Jun 30, 2013 (30 days)	24,722	1,800	1,000	2,800	-	-	-
Jul 01, 2013...Jul 31, 2013 (31 days)	21,922	1,620	1,755	3,375	-	-	-
Aug 01, 2013...Aug 31, 2013 (31 days)	18,547	1,248	2,340	3,588	-	-	-
Sep 01, 2013...Sep 30, 2013 (30 days)	14,959	936	2,990	3,926	-	-	-
Oct 01, 2013...Oct 31, 2013 (31 days)	11,033	648	3,915	4,563	-	-	-
Nov 01, 2013...Nov 30, 2013 (30 days)	6,470	300	4,375	4,675	-	-	-
Dec 01, 2013...Dec 31, 2013 (31 days)	1,795	-	5,805	5,805	-	-	4,010
Jan 01, 2014...Jan 31, 2014 (31 days)	-	-	6,345	6,345	-	-	6,345
Feb 01, 2014...Feb 28, 2014 (28 days)	-	-	6,240	6,240	-	-	6,240
Mar 01, 2014...Mar 31, 2014 (31 days)	-	-	7,410	7,410	-	-	7,410
Apr 01, 2014...Apr 30, 2014 (30 days)	-	-	8,060	8,060	-	-	8,060
May 01, 2014...May 31, 2014 (31 days)	-	-	8,710	8,710	-	-	8,710
Jun 01, 2014...Jun 30, 2014 (30 days)	-	-	9,230	9,230	-	-	9,230
Jul 01, 2014...Jul 31, 2014 (31 days)	-	-	10,125	10,125	-	-	10,125
Aug 01, 2014...Aug 31, 2014 (31 days)	-	-	10,010	10,010	-	-	10,010
Sep 01, 2014...Sep 30, 2014 (30 days)	-	-	10,270	10,270	-	-	10,270

Figure 57

Order tab

The Order Quantity tab shows detailed information on the quantities needed for each medicine, separated in tables for **Regular orders**, **Accelerated orders**, and **Total orders** (the sum of regular and accelerated). The **Regular order** and **Accelerated order** tables display the:

- **Medicines**
- **Quantity needed (in units)**
Adjustment (% of quantity needed): This is customizable by the user. It is “100” by default, meaning no adjustment is needed. By entering other numbers and based on statistics or experience, the order may be adjusted for mortality or loss for follow-up rates, or other trends in the program. If you enter “0” it means that the medicine is not required at all.
- **Pack size:** This is customizable by the user. Enter the desired or known pack size here; the final quantities of units will be rounded up to a full pack size.
- **Pack price or unit price:** This is customizable by the user and is helpful for estimating budget needs. When using the unit price instead of pack price, enter “1” in Pack Size.
- **Adjusted quantity (in units)**
- **Adjusted quantity rounded up to pack size**
- **Cost**

Note: You may copy and paste numbers into the **Adjustment (% of quantity needed)**, **Pack size**, and **Pack price or unit price** fields from another source (e.g., Excel file, Word table, QuanTB forecasting, etc.) by copying a number using Ctrl C, double-clicking into the target field, then pasting by hitting Ctrl V.

The **Accelerated order** table also shows the **Latest date accelerated order should arrive**. With low stock on hand or rapid expansion of enrollment, the program may run out of medicines before the next regular delivery. If medicine stockouts are estimated to occur during the reference period, the system displays the quantity needed/missing by medicine. In this case, accelerated procurement may be required (the actual stock and consumption data to verify this is presented in the Medicines and Medicines Detailed Report). The accelerated procurement is meant to ensure that you have enough stock before you receive your regular order.

The **Regular order** and **Accelerated order** adjustments can be entered separately, since they may differ.

Note: You must **SAVE** the forecasting after entering or changing data in the Adjustment Coefficient, Pack Size and Pack Price columns **BEFORE** executing the forecasting. If you do not save the data you enter, this information will be lost.

The **Total order** table displays the sum of the **Regular order** and **Accelerated order** tables:

- **Medicines**
- **Quantity needed (in units)**
- **Adjusted quantity (in units)**

- **Cost** (The cost column is not displayed until you enter a pack price for each quantity needed.)

The **Total cost of medicines** is shown at the bottom of the **Quantity** tab.

Note: If you have not entered a pack price or unit price for a medicine, QuanTB cannot calculate a cost for it and therefore the **Total cost of medicines** figure will not include the cost of that medicine.

Parameters Summary Medicines Report Cases Report Medicines Detailed Report Order Dashboard								
Quantity Final cost								
Regular order								
Medicines	Quantity needed (in units)	Adjustment (% of quantity needed)	Pack size (enter 1 for units)	Pack price or unit price	Adjusted quantity (in units)	Adjusted quantity rounded up to pack size	Cost	
Cm (1000) Capreomicin 1000 mg Powder/Vial	76,400	100.00	1	5.58	76,400	76,400	426,312.00	
Cs (250) Cycloserine 250 mg Tablet or Capsule	357,232	100.00	100	43.00	357,232	3,573	153,639.00	
Elo (250) Ethionamide 250 mg Tablet	261,420	100.00	100	6.79	261,420	2,615	17,755.85	
Km (1000) Kanamycin 1000 mg Powder/Vial	23,590	100.00	50	41.30	23,590	472	19,493.60	
Lfx (250) Levofloxacin 250mg Tablet	648,408	100.00	100	8.74	648,408	6,485	56,678.90	
PAS (Na) P-aminosalicylate sodium salt 4000mg Powder/Sachet	138,250	100.00	30	39.00	138,250	4,609	179,751.00	
Pto (250) Prothionamide 250mg Tablet	352,232	100.00	100	15.53	352,232	3,523	54,712.19	
Z (500) Pyrazinamide 500 mg Tablet	864,544	100.00	672	21.00	864,544	1,287	27,027.00	
Accelerated order								
Medicines	Quantity needed (in units)	Adjustment (% of quantity needed)	Pack size (enter 1 for units)	Pack price or unit price	Adjusted quantity (in units)	Adjusted quantity rounded up to pack size	Cost	Latest date accelerated order should arrive
Cm (1000) Capreomicin 1000 mg Powder/Vial	4,010	100.00	1	9.00	4,010	4,010	36,090.00	Dec 10, 2013
Cs (250) Cycloserine 250 mg Tablet or Capsule	-	100.00	-	-	-	-	-	-
Elo (250) Ethionamide 250 mg Tablet	60,955	100.00	100	8.50	60,955	610	5,185.00	Oct 25, 2013
Km (1000) Kanamycin 1000 mg Powder/Vial	19,222	100.00	1	3.00	19,222	19,222	57,666.00	Aug 4, 2013
Lfx (250) Levofloxacin 250mg Tablet	118,337	100.00	100	6.25	118,337	1,184	7,400.00	Oct 23, 2013
PAS (Na) P-aminosalicylate sodium salt 4000mg Powder/Sachet	-	100.00	-	-	-	-	-	-
Pto (250) Prothionamide 250mg Tablet	-	100.00	-	-	-	-	-	-
Z (500) Pyrazinamide 500 mg Tablet	104,932	100.00	1,000	28.00	104,932	105	2,940.00	Nov 17, 2013
Total order								
Medicines	Quantity needed (in units)	Adjusted quantity (in units)	Cost					
Cm (1000) Capreomicin 1000 mg Powder/Vial	80,410	80,410	462,402.00					
Cs (250) Cycloserine 250 mg Tablet or Capsule	357,232	357,232	153,639.00					
Elo (250) Ethionamide 250 mg Tablet	322,375	322,375	22,940.85					
Km (1000) Kanamycin 1000 mg Powder/Vial	42,812	42,812	77,159.60					

Figure 58

The **Order Final cost** tab displays the total cost of medicines, along with line items for additional costs specific to each TB program procurement, such as **Freight, Insurance, Pre-shipment inspection (PSI), Procurement agent, Customs clearance, etc.** These additional costs can be entered as percentage of order value or as flat fees. Line items are customizable and can be added or deleted. All additional costs are then added to get the **Final Cost of Order**.

Parameters Summary Medicines Report Cases Report Medicines Detailed Report Order Dashboard			
Quantity		Final cost	
Total cost of medicines:		1,044,650.54	
Item	Percentage	Cost	Method
Freight	5.00	52,232.53	By percentage
Insurance	3.00	31,339.52	By percentage
Estimated PSI	0.07	750.00	By value
Procurement agent fee	1.50	15,669.76	By percentage
Customs clearance	0.07	680.00	By value
Final cost of order		1,145,322.35	

Figure 59

Dashboard tab

The dashboard displays each medicine's status graphically on a timeline that begins with the reference date and ends with the forecasting period end date plus buffer months. The green color represents stock on hand. The yellow color is displayed for stock on order. The red color indicates a stock-out. The pink background on the chart is for the time in between the minimum and maximum months of stock that you have set. The gray color indicates that there was no stock and no planned consumption of the item during that period. The vertical orange bars mark the beginning and end of the forecasting period. Information is displayed according to these rules:

- If stock on hand is zero, the system displays a red bar for the entire period (reference date until the end of the forecasting period, plus lead time).
- When stock is on order, the estimated receiving date for the stock will be displayed. Stock is not considered as available until it is actually received, so the color on the dashboard will still show as red even after the date when the stock is expected to be received. The system displays only the first instance that a medicine's stock on order is to be received. If two orders are expected to be received one after the other without any gap in dates, one long yellow bar will be displayed. In any case, all orders are included in the calculations.
- After a stock-out occurs, the system displays a red bar from the respective month until the end of forecasting period plus lead time. The system displays stock on order that will arrive later as a yellow bar inside the red bar. However, the system doesn't display a green bar after a red bar even if consumption occurred with enough quantity in stock on order to cover all patients in the future.
- Regardless of the date when stock on order will be received, the system displays a yellow bar for the entire month of receiving in case no consumption is planned to use that specific quantity. If the stock on order arrives when there is enough stock on hand to cover all patients in certain months, the system display the yellow bar only in months when the cases start consuming the stock on order (this is the reason a message with the month and year the stock on order will arrive is necessary).
- If you hover the mouse over the colored bars, the program will show the estimated consumption figure for that time period.

When reviewing the dashboard, a good guideline to use is that you want to see green bars for each medicine extending into the pink area on the chart. If the green bar for a medicine doesn't reach the pink area, you are in danger of a stock-out and should take action. If the green bar extends past the pink area, you may be overstocked and at risk of medicines expiring on the shelf.

Note: The **Dashboard** only provides an overview of the stock situation. For a more accurate view of the stock, you should always consult the **Medicines Detailed Report**.



Figure 60

Saving forecastings

A forecasting can be saved at any time, even before execution. Each forecasting should be saved manually.

QuanTB does not save data automatically.

Go to the **File** menu and select the **Save** menu option or click on the **Disk** icon in the left upper corner. In the confirmation dialog box that appears, click on the **Yes** button to confirm or **No** to undo it.




Figure 61

In the dialog box that appears when you click “Yes,” the system directs you to the “Docs” folder of the system but you can select another location on your computer. Fill out the **File Name** field and click on the **Save** button to confirm or **Cancel** to undo it.




Figure 62

For saving a previously saved forecasting, go to the **File** menu and select the **Save as ...** menu option. The same dialog boxes will appear to save the forecasting in a selected folder. Fill out the **File Name** field and click on the **Save** button to confirm or **Cancel** to undo it.

Opening saved forecastings

Saved files can be retrieved later for further work. Go to **File** menu and select the **Open** menu option or click on the **Folder** icon in the left upper corner. In the dialog box that appears, select the location where the file was saved and then double click in the specific file to open or click on the **Open** button. Click on the **Cancel** button to undo it.




Figure 63

Note: If you erase cases and/or percentages data in an executed forecasting, then execute the forecasting again, QuantB will generate an error message. The system will disable the existing tabs (except Parameters tab) until adequate data is entered to execute the forecasting properly.

Exiting the system

Go to the **File** menu and select the **Exit** menu option or click on the **“X”** in the right upper corner. In the confirmation dialog box that appears, click on the **Save all and exit** button to save your work before exiting or **Exit** to exit. Click **Cancel** if you do not want to exit. All unsaved information will be lost if you exit the system.

Forecasting Results

QuanTB 2.0.0

USAID FROM THE AMERICAN PEOPLE

SIAPS Systems for Improved Access to Pharmaceuticals and Services

New forecasting-1

Parameters

Reference date: Oct 14, 2014 Lead time: 1 (months)

Forecasting period: Nov 14, 2014 Until Nov 1, 2015 11 months, 18 days

Months of buffer stock: 1 (month) Minimum months of stock: 1 (month)

Name of Country/Region/Facility: Main Hospital

Name of the person performing the forecasting: JEF

Comment:

Execute forecasting Select treatment regimens Adjust medicines quantity for attrition

Exiting the application

What to do next?

Save all and exit Exit Cancel

Enrolled cases Expected cases Stock of medicines

Total number of enrolled cases per month

Treatment Regimen	Dec-2013	Jan-2014	Feb-2014	Mar-2014	Apr-2014	May-2014	Jun-2014	Jul-2014	Aug-2014	Sep-2014	Oct-2014
MDR-TB Regimen 1 (weight 51-70kg) 8Cm(1000)Cs(250)LX(250)Pto(...)	5	5	5	5	5	5	5	5	5	5	5
MDR-TB Regimen 2 (weight 51-70kg) 8Km(1000/4)Eto(125)LX(250)P...	3	3	3	3	3	3	3	3	3	3	3

Copyright © 2012 Management Sciences for Health, Inc. All rights reserved. Developed by MSH.

Figure 64

EXPORTING FORECASTINGS TO EXCEL AND PRINTING


Forecasting can be exported into an Excel file (values only) at any stage of the process and saved for references, comparison, or further analysis in Excel, or via Excel in other programs.

Export to Excel

Go to the **Forecasting** menu and select **Export to Excel** or click on the **Excel** icon in the left upper corner. In the dialog box that appears, the system directs you to the “Docs” folder of the system but you can select another location on your computer. Fill out the **File Name** field and click on the **Save** button to confirm or **Cancel** to undo it.

The dashboard will not be exported with the Excel file. You can copy and paste it to another document, save it to another location, or print it. By right clicking on your mouse, you can see the different options, including the option to zoom in and out.

The forecasting data can be printed as an Excel file. This is the only print option.



Medicine	Stock on hand on the reference date	Estimated months of stock on the reference date (including buffer)	Last date to order	Reference period Mar 01, 2013..Aug 31, 2013 (184 days)			Forecasting period + months of buffer Sep 01, 2013..May 28, 2014 (270 days)					Quantity needed		
				Stock on order	Quantity dispensed	Quantity likely to expire	Stock on hand after reference period	Stock on order	Quantity likely to expire	Estimated consumption (enrolled cases)	Estimated consumption (expected cases)	Regular order	Accelerated order	Total order
Capreomicin 1000 mg Powder/Vial	76,545	7	Apr 07, 2013	-	59,031	-	17,514	-	-	1,613	141,680	125,779	-	125,779
Cycloserine 250 mg Tablet or Capsule	321,059	8	May 05, 2013	-	196,968	-	124,091	-	-	128,928	567,840	572,677	-	572,677
Ethionamide 250 mg Tablet	124,484	5	Feb 08, 2013	-	124,484	-	-	-	-	97,500	415,440	512,940	26,137	539,077
Kanamycin 1000 mg Powder/Vial	36,827	5	Feb 18, 2013	-	36,827	-	-	17,000	-	1,093	105,080	89,173	4,560	93,733
Levofloxacin 250mg Tablet	419,000	6	Mar 23, 2013	-	347,589	-	71,411	-	-	226,428	983,280	1,138,297	-	1,138,297
P-aminosalicylate sodium salt	139,656	7	Apr 14, 2013	-	100,414	-	39,242	-	-	65,000	276,960	302,718	-	302,718

Copyright © 2012 Management Sciences for Health, Inc. All rights reserved. Developed by MSH.

Figure 65

Note: The format of the Excel file is controlled by the user’s Windows configuration. For example, if you are using the Russian version of QuanTB and your computer’s Windows configuration is English, the QuanTB Excel file date and number formats will be in English.

An example of the exported Excel file is shown below.

	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	
1	Forecasting name:	Fictina 1-1-2013 slow.qtb			Comment:	Slower enrollment in Feb Xpert												
2	Name of Country/Region/Facility:	Fictina																
3	Saved on:	09/05/2013																
4	Name of the person performing the forecasting:	AZ																
5	Reference date:	03/01/2013																
6	Lead time:	6	months															
7	Forecasting period:	09/01/2013	Until	02/28/2014														
8	Months of buffer:	3	months															
9	Minimum months of stock:	6	months															
10	Maximum months of stock:	12	months															
11																		
12	Enrolled cases																	
13		Jun 2011	Jul 2011	Aug 2011	Sep 2011	Oct 2011	Nov 2011	Dec 2011	Jan 2012	Feb 2012	Mar 2012	Apr 2012	May 2012	Jun 2012	Jul 2012	Aug 2012	Sep 2012	
14	MDR-TB Regimen 1 (51-70kg)	0	0	0	0	0	0	0	0	0	0	0	0	8	10	9	11	
15	SCmCslfxPtoZ/14CsLfxProZ	0	2	2	2	2	2	3	3	3	3	3	4	5	6	7	8	
16	MDR-TB Regimen 2 (51-70kg)																	
17	SKmLfxToPASZ/14LfxToPASZ																	
18																		
19	Expected cases																	
20		Mar 2013	Apr 2013	May 2013	Jun 2013	Jul 2013	Aug 2013	Sep 2013	Oct 2013	Nov 2013	Dec 2013	Jan 2014	Feb 2014	Mar 2014	Apr 2014	May 2014		
21	MDR-TB Regimen 1 (51-70kg)	10	10	10	40	40	60	60	60	60	60	60	60	60	60	60		
22	SCmCslfxPtoZ/14CsLfxProZ	7	7	7	30	30	40	40	40	40	40	40	40	40	40	40		
23	MDR-TB Regimen 2 (51-70kg)																	
24	SKmLfxToPASZ/14LfxToPASZ																	
25																		
26	Stock on hand																	
27	Medicines	Expiration date	Quantity															
28	Capreomicin 1000 mg Powder/Vial		76,545															
29		02/01/2014	76,545															
30	Cycloserine 250 mg Tablet or Capsule		321,059															
31		04/30/2014	140,000															
32		03/31/2014	181,059															
33	Ethionamide 250 mg Tablet		124,484															
34		12/31/2014	124,484															
35	Kanamycin 1000 mg Powder/Vial		36,827															
36		10/31/2014	36,827															
37	Levofloxacin 250mg Tablet		419,000															
38		04/30/2014	324,000															
39		06/30/2013	95,000															
40	P-aminosalicylate sodium salt 4000mg		139,656															
41		05/31/2014	139,656															

Figure 66

USING QUANTTB AS AN EARLY WARNING SYSTEM

Regular monitoring

When used regularly (e.g., quarterly or monthly), QuantTB can serve as an effective early warning system to monitor the availability of medicines. This is especially important for rapidly expanding programs, or programs phasing-in/phasing-out TB medicines or regimens. A previously developed quantification file can be opened a month or a quarter later, saved as a new forecast, and edited for actual cases versus planned for the elapsed period, stock of medicines on hand updated to reflect the consumption, stock on order turned into stock on hand with expiry dates, etc. QuantTB will then alert you to possible issues that may lead to treatment interruptions or waste of medicines.

For example, a TB program may appear to be quite balanced in the beginning of year, with sufficient stock of medicines to cover current and expected cases through the year until the next regular procurement, with some medicines being at the maximum set level of 12 months (below):

Medicine	Stock on hand on the reference date	Estimated months of stock on the reference date (including buffer)	Last date to order	Reference period Jan 01, 2013..Aug 31, 2013 (243 days)			Forecasting period + months of buffer Sep 01, 2013..May 28, 2014 (270 days)					Quantity needed		
				Stock on order	Quantity dispensed	Quantity likely to expire	Stock on hand after reference period	Stock on order	Quantity likely to expire	Estimated consumption (enrolled cases)	Estimated consumption (expected cases)	Regular order	Accelerated order	Total order
Capreomicin 1000 mg Powder/Vial	81,000	12	Jul 14, 2013	-	35,579	-	45,421	-	-	-	99,570	54,149	-	54,149
Cycloserine 250 mg Tablet or Capsule	335,000	12	Jul 29, 2013	-	127,188	-	207,812	-	-	44,712	408,480	245,380	-	245,380
Ethionamide 250 mg Tablet	140,000	9	Apr 03, 2013	-	112,266	-	27,734	-	-	41,124	283,920	297,310	-	297,310
Kanamycin 1000 mg Powder/Vial	40,400	10	Jul 09, 2013	-	27,003	-	13,397	17,000	-	-	67,950	37,553	-	37,553
Levofloxacin 250mg Tablet	449,000	11	Jun 05, 2013	-	239,454	-	209,546	-	-	85,836	692,400	568,690	-	568,690
P-aminosalicylate sodium salt	150,000	11	Jun 26,	-	74,844	-	75,156	-	-	27,416	189,280	141,540	-	141,540

Copyright © 2012 Management Sciences for Health, Inc. All rights reserved. Developed by MSH.

Figure 67

The situation in that same TB program may look very different three months later when it becomes clear that the number of actually enrolled cases during the previous quarter exceeds the planned numbers, and so will the expected number (e.g., due to successful implementation of new diagnostic technology). Some medicines are now at the critical level of availability and will require accelerated procurement:




Figure 68

The details for every medicine by month can be found in the **Reports** tabs and the whole situation will also be reflected on the dashboard:




Figure 69

In yet a different scenario, that same program three months later may be failing to enroll the planned number of cases, e.g., due to slower than planned uptake of diagnostic technology, or lack of funding for patient care. In this case, it will be alerted to impending expiry of some medicines:




Figure 70

When using QuanTB files for early warning system monitoring, you must update the following parameters:

- Reference date
- Forecasting period, if the time period for the forecasting period is below the sum of reference date plus the lead-time date. In this situation, you must extend your forecasting period but you do not need to include additional cases in the expected cases tab.
- Enrolled cases
- Expected cases
- Stock of medicines (stock on hand and stock on order). If stock is expired, you must delete that stock from the system, or the system will display an error message. If you have received a stock previously on order, make sure it is deleted from the system and included as stock on hand.

For example, if you have to update every three months, you need to ensure that you collect the current total number of enrolled cases per month in the previous three months and enter in the enrolled case field. For expected cases, review the patient trend to make sure it is the same based on current enrolled cases collected. If the trend is not the same, make adjustments as needed.

Viewing QuanTB files created by others

QuanTB forecasting files can be e-mailed to others for review. Files can be accessed in the locations where QuanTB was saved after installation. Go to the Docs folder (e.g., C:\Users*yourname*\QuanTB\docs) to select the QuanTB forecasting file you want to email to your colleague.

Upon receipt of your QuanTB forecasting file, your colleague can save the file in a location where it can be accessed. The QuanTB forecasting file can be opened and you can view or make certain changes in the file received. However, you will not have access to the medicines and regimens tab for that forecasting in the system unless you also have those files. You can see all regimens used by clicking on the Select treatment regimen button on the Parameters tab. You can uncheck a regimen to delete it from the forecast and add a new regimen from the regimen list in your copy of QuanTB, but cannot make any other changes to the regimens in your colleague's forecast. You will not have access to your colleague's medicines list unless you also receive that file.

If you want to have access to your colleague's medicines and regimens lists, your colleague must also copy the data folder (e.g., C:\Users*yourname*\QuanTB\data) and send it along with the QuanTB docs file. When you receive the files, make sure you save your own data files in another location and replace them with the new data files to view the medicines and regimens data. Alternatively, you can have QuanTB saved under different names or in different locations and you can have a different folder for each country you work in with their data and docs files.

ANNEX 1: FORECASTING FOR MULTIPLE YEARS

QuanTB can be used for multiple year forecasts to determine budget requirements for procurement and planning purposes. Follow the steps below for a multiyear forecast.

1. Customize the **medicines** and **treatment regimens** as required to match your situation.
2. Click **File**, then **New** to begin a new forecasting.
3. **Reference date:** Since no stock information is required for this forecast, you can enter a date one month before your forecasting period. Recall that your forecasting period should be a date greater than the reference date and the lead-time in months.
4. **Lead time in months:** QuanTB will not allow you leave this field blank. Since this exercise is not for procurement, but just to determine the budget, you can simply enter the number 1 in this field.
5. **Forecasting Period:** This should be a two- to five- year forecast, or longer as required.
6. **Months of buffer stock:** You can enter zero (0) here.
7. **Minimum months of stock:** QuanTB will not allow you proceed without entering a number in this field. Enter the number 1.
8. **Maximum months of stock:** QuanTB will not allow you proceed without entering a number in this field. Enter the number 1.
9. **Regimen type:** Select Multidrug or Single drug, as appropriate.
10. **Enrolled cases:** Use the option of **By number**.
11. **Expected cases:** Use the option of **By number**.
12. Select the regimens or single medicines for the forecast, then click **Save**.
13. **Enrolled cases:** Leave this field blank since we are estimating needs for future cases. You will receive a warning message informing you that at least one enrolled case should be entered for each regimen or medicine. Select “yes” and continue.
14. **Expected cases:** There are two options to input cases in this field:
 - a. *Option 1:* Enter the total number of cases expected by **month** for each regimen or medicine starting from the first month of your forecasting period. Example, if you have a total of 1260 cases to enroll in two regimens with a regimen split of 80% and 20% for a forecasting period between Jan. 1 2014 to Dec. 31, 2016; you have to enter 28 cases for regimen A and 7 cases for regimen B each month.

After entering data in the last month (Dec. 31, 2016), go back and change your forecast period from Dec. 2016 to Dec. 2018. DO NOT ENTER ADDITIONAL DATA from Jan. 2017. Because QuanTB computes patient needs as they are enrolled, patients enrolled in Dec. 2016 would only have received one month of treatment, in Nov. 2016, 2 months of treatment and so on. For complete treatment quantities, you have to extend the forecasting period without adding additional data to allow patients complete their treatment. When planning for procurement, and considering enrolled cases and stock information is considered, you do not need to do this because with regular planning and updating of QuanTB, medicines will be purchased and consumed as patients are enrolled.

- b. *Option 2:* Enter the total number of cases expected for each regimen or medicine for the *total duration of the forecast* in the field for the first month of the forecasting period. Using the same example above, enter 1008 cases for regimen A and 252 cases for regimen B in Jan. 1, 2014. For this option, make sure that the forecasting period is equal to or longer than the duration of treatment. If not, follow instructions for option 1 above.

15. **Stock of medicines:** Leave this field blank. The forecast is for budget purposes only.

16. **Execute forecasting.**

17. Save your result.

ANNEX 2: FORECASTING FOR ANCILLARY MEDICINES

The main challenge with forecasting ancillary medicines is making sure you have the right data. Most countries do not collect and compile data on adverse events and some countries do not have standardized guidelines for managing adverse events. In such situations, you need to use proxy data that would provide the most accurate estimate for your forecast. As data becomes available, further forecast should be more evidence-based.

Some key data requirements are:

- List of recommended ancillary medicines for TB adverse events treatment.
- Ancillary medicine specifications (medicine name, strength, unit/pack price, etc.)
- Recommended quantity, duration, and frequency for each condition treated.
- Historic data on number or percentage of TB cases that will be treated with ancillary medicines.
- Data on total number or percentage of patients enrolled to receive ancillary medicine for the most recent 6 months (if the program is long-running).
- Previous quantification assumptions used for ancillary medicine quantification (if previously done).
- Country targets, expansion plans, planned interventions, etc. for TB ancillary treatment in the country.
- Total quantity of stock on hand for each ancillary medicine, with:
 - Expiry dates for each ancillary medicine by batch
 - Total quantity of stock on order (order placed but not yet received) for each ancillary medicine and date order is expected for delivery
 - Total lead time for procurement (consider total lead time from planning, to ordering, to shipment, to actual receipt in central warehouse for distribution)
 - Total months of buffer stock for procurement
 - Total minimum stock level (consider all health care levels)

To forecast for ancillary medicines, you should use the **Single Drug** option for this forecast. You cannot use the single drug option and the regimen option at the same time. If you quantify other medicines by regimen, you must perform a separate quantification for single drugs.

To forecast using QuanTB, follow the steps below:

1. Select your **medicines** and **treatment regimens**. For each medicine, include the total duration of time for treatment per case for the entire period of treatment. (Some adverse events may be treated two or three times during the course of a TB treatment; ensure you agree on an average to use for the forecast.)
2. Click **File**, then **New** to begin a new forecasting.
3. **Reference date:** Enter the date you took your stock status information. If no previous stock information is available, then ensure the forecasting period is equal to or greater than the sum of the reference date and the lead time in months.
4. **Lead time in months:** Enter the total time required from planning until medicine is received in the store.
5. **Forecasting period:** Enter the period for which you are forecasting.
6. **Months of buffer stock:** This can be zero or any number you would like to consider.
7. **Minimum months of stock:** Enter the minimum stock level agreed on for the medicines.
8. **Maximum months of stock:** Enter the maximum stock level agreed on for the medicines.
9. **Regimen type:** Select the **Single drug** option and select to forecast either by number or by percent depending on the data available.
10. **Select regimens:** Select the regimens you want to include in the forecast.
11. Click **Save**.
12. **Enrolled cases:** Enter the percentage of enrolled cases for each medicine. Then enter the total number of enrolled cases per month.
13. **Expected Cases:** Enter the percentage of expected cases for each medicine. Then enter the total number of expected cases per month.

14. **Stock of medicines:** Leave these fields blank if no data is available (that is, if medicines have not been purchased by the program in the past).
15. Click **Execute forecasting**.
16. Save your results.

ANNEX 3: FORECASTING FOR PATIENT KITS

QuanTB does not have a specific feature to forecast patient kits, i.e., the complete medicine requirement for the duration of treatment in one box for one patient. QuanTB considers patient needs based on their enrollment date and calculates their needs (number of tablets per day, number of days per week, and duration in months) for the complete month (28, 30, or 31 days depending on the calendar month) until the forecasting period ends. This means that if you assume that each case will receive 3 tablets daily for 7 days, QuanTB calculates that until treatment is complete and does not take into account wastages and weight adjustments during the forecasted period. Wastages can be adjusted in the order tab.

To forecast for patient kits, follow the steps below:

1. Create the kits as medicines in the **Medicines list**. If the kit contains two or more different products, you must enter each under separate names in the INN field. To differentiate regular medicines from patient kit medicines, set your medicine INN name as “patient kit” including any other identifiers if you have multiple kits in use. For example, “patient kit new adult cases - intensive phase”. Use an abbreviated identifier in the abbreviated name field example, “PK-Int (RHZE)”. Enter medicines strength and dosage form and select type of medicines. Follow the same procedure for continuation phase medicines and save.
2. Create your **regimen** for the patent kit, including any other identifiers if you have multiple kits in use, for example, “patient kit new cases”. Then click on or enter the composition of the regimen.
3. Click **File**, then **New** to begin a new forecasting.
4. **Reference date:** Enter the date you took your stock status information.
5. **Lead time in months:** Enter the total time required from planning until medicine is received in the store.
6. **Forecasting period:** Enter the period for which you are forecasting. Ensure the forecasting period is equal to or greater than the sum of reference date and lead time in months.
7. **Months of buffer stock:** This can be zero or any number you would like to consider.
8. **Minimum months of stock:** Enter the minimum stock level agreed on for the medicines.
9. **Maximum months of stock:** Enter the maximum stock level agreed on for the medicines.

10. **Regimen type:** Select the *Multidrug* option for this forecast.
11. **Enrolled cases:** Use the option of **By number**.
12. **Expected cases:** Use the option of **By number**.
13. Select the regimens for the forecast, then click **Save**.
14. **Enrolled cases:** Enter the number of cases enrolled in treatment by month for each regimen.
15. **Expected cases:** Enter the number of cases expected for treatment by month for each regimen.
16. **Stock of medicines:** Convert each patient kit contents into units. For example, a kit may contain 168 tablets of RHZE and 336 tablets of RH. Multiply these totals by the total number of patient kits to get the overall total units for each medicine. Enter each medicine's expiry date by batch. Follow the same steps for stock on order.
17. **Execute forecasting**.
18. Click on the **Order** tab. On the **Quantity** tab, in the **Pack Size** column, enter 168 for RHZE and 336 for RH for the patient kits medicines (based on the example above; adjust your figures as necessary). Notice that quantities may vary slightly because QuanTB does not adjust for wastages and calculates needs until patient stops treatment. Use the higher number as the total pack size to procure.
19. Make additional upward or downward adjustments in the **Adjustment (% of quantity needed)** column.
20. Enter the **Pack price** for procurement.
21. Click on the **Final cost** tab to enter additional costs, such as shipping, insurance, etc.

ANNEX 4: REPORTING AN ERROR

If you receive an error message with an “Exception caught:” error, please let us know, so that we can continuously improve QuanTB.




Figure 71

Report problems in our QuanTB forum at <http://mshforums.org/forums/forum/quantb/> or send us a message at quantb@msh.org with the following information:

1. A step-by-step list of what you were doing in QuanTB when you got the error.
2. A screen capture of the error message itself.
3. The log file that QuanTB creates automatically about the error. If you installed the software in the default location, the error file will be in `C:\users\yourname\QuanTB\data\log`. The file name will contain the date of the error, e.g., 2014-02-20err.qtb.

Systems for Improved Access to Pharmaceuticals and Services
Management Sciences for Health
4301 North Fairfax Drive, Suite 400
Arlington, VA 22203 USA
Telephone: 703.524.6575
Fax: 703.524.7898
E-mail: siaps@msh.org
Website: www.siapsprogram.org

